

MISSOURI DEPARTMENT OF HEALTH STATE PUBLIC HEALTH LABORATORY

DATAMASTER MAINTENANCE REPORT

RECEIVED DHSS Breath Alcohol Program By Carol Day at 8:14 am, Mar 12, 2010

Complete this report in duplicate at the time of the regular is repaired. Send copy to Department of Health; retain original		check, and whenever instrumen
DATAMASTER SN 204/60 INVENTORY IF 12 LOCATION OF INSTRUMENT (STREET AND CITY)		DATE OF INSPECTION 3 - 02 - 10 TIME OF INSPECTION
LOCATION OF INSTRUMENT (STREET AND CITY)		
CLAY CO, SHER) FF'S DEFT. 14 S. CHECKLIST: Place a check (1) to the left of each item if four	and to be satisfactory or if apprehing	1 2/3/
in observed values where determined.) Unchecked items must		
DIAGNOSTIC CHECK (PRINTOUT ATTACHED)	,	
E COMPUTER .	DETECTOR	,
PROGRAM	FILTERS	
HEATERS SAMPLE CHAMBER 50 °C	© QUARTZ STANDARD	,
☐ FLOW DETECTOR	E CALIBRATION	
PUMP HIGH SPEED	PRINTER	
D INDICATOR LIGHTS		
TTIME AND DATE 2/37 03-	02 - 10	
SIMULATOR TEMPERATURE (34 °C ± 0.2°C)	4.0	
CALIBRATION CHECK -		
Run three tests using a standard solution. All three tests		
spread of .005 or less. Check the box corresponding to the RECIRCULATION PUMP)	ie standard solution being üsed. (I	PRINTOUT ATTACHED) (USE
0.100% STANDARD - MUST READ BETWEEN 0.095% ar	od 0 105% INCLUSIVE	
0.040% STANDARD - MUST READ BETWEEN 0.038% ar		
(ONLY ONE STANDARD IS TO BE USED PER MAINTENAL	NCE REPORT)	
TEST 1 / 100 % TEST 2 / ,	101 % TEST 3	.101 %
PERFORM R.F.I. TEST (PRINTOUT ATTACHED)		
NUMBER OF REFUSALS, SINCE LAST MAINTENANCE REF FOLLOWS: (DO NOT INCLUDE SIMULATOR TESTS)	PORT, AND NUMBER OF BREATH	TESTS IN EACH RANGE AS
REFUSALS 2 (004) (0509)	(.1014) 4 (.1519)	2 (Over .19) 2
List any new parts and describe any alteration or modification	that was made to restore the instr	ument to operate satisfactorily
and within established limits (use other side if necessary)		
INSTRUMENT OPERATING LOSTAIN		4) 1020.5
REPLO MARKETING, INC LO		
MIG. DATE 09-01-09 EXP.	DATE 08-31-11,	SOTTLE # 1085
	.100 % 50107702	
INSPECTING OFFICER.	DOME NAME	
P. V. Mos. P.	PRINT NAME R, V. MISTOR	٠ -
YPE II PERMIT NUMBER/EXPIRATION DATE	R, V, MESOE TELEPHONE NUMBER 816-622-0500	-
820 322 / 12-15-10	816-622-0500	· · · · · · · · ·

CERTIFICATE OF ANALYSIS

MANUFACTURER AND SUPPLIER: RepCo Marketing, Inc.

LOT NUMBER: 09002

EXPIRATION DATE: August 31, 2011 at 11:59 p.m.

RepCo Marketing, Inc. certifies the following:

RepCo Marketing, Inc. manufactured, tested and supplied Lot Number <u>09002</u> of Alcohol Certified Solution for simulators. Random samples of said lot number were analyzed by an independent laboratory utilizing a gas chromatograph and found to contain <u>.1206</u> gms/dl +/-.003 gms/dl wt/vol ethanol (95% Confidence).

The alcohol and distilled water used in the solution were found to be free of any interfering substance.

This solution will produce a vapor alcohol value of .100 +/-3% gms/210L Breath when heated to 34 Degrees Celsius +/-0.2 Degrees Celsius in a simulator (95% Confidence).

The date of manufacture for this lot number is <u>September 1, 2009</u>. The expiration date for this lot number is <u>August 31, 2011</u> at 11:59 p.m.

This document is a true representation of the original Certificate of

Analysis.

Cecil B. Garner, President RepCo Marking, Inc.

Face This Side Down - This Edge In First

BAC DataMaster Evidence Ticket

BAC TEMPERATER SERIAL NUMBER 204100 TOSTES JUMPIN SIMIS TAMES TO 医国人医国人工语

DIBBROWTIC CHECK ---

TOPPUTER:

ロアカン

市東のの東北市 への本・四回・中のののシー

THETTER

WHENCE CHREEKS

() () ()

FLOW INTENTION CRAIN.

TIGH OFFERIN

WELL CLOSE

行に正文学

TOTAL OF STREET

<u>~</u>

宗武

SPELISHALIUM:

デュ

TWINITE TEXT

TILKEROPOROTORWXYKKI) - Impedetah iningkon 1、1多を分を「ここをライト。人のアガル本がもつののよっと用しては150円的です。

A DOLF LOWNER OF JOHN

Operator Signature

Printed on recycled paper with agri-based inks

CMSU 2208-02

tee-This Side Down – This Edge In First

BAC DataMaster Evidence Ticket

BHO DEFENDENTER MERLEL NUMBER DESIGN BLANDER WINTE HIGHWAY PAIROL

THREET NUMBERS OF CONTROL DEFICER 1.D. # 913 THE STEERS OF THOMRS. HERDEL ROS

TO COMPLETE THE COOK DATE: EXPLECTION DATE: 10/15/16 HOMINE A HUNE.

THE CLOSENSING MODE

Print The	NO DESTREE OF STREET	SECTION TOWN	MEXICANDE STANDARD	TENER TENER	MANUAL STENDERD	INTERNAL STRYINGS	との文のの	
. 500 5	, 16±	(5) (5)	C.	, 5 5 6	্ৰতা -	SERVIPIED.	6. 6. 6.	
P. P	机层类的	FU L	I.↓ ↓ ↓	10年本507	Fr.	R G W	τυ 6 Φ	

A Training WIN. 11 * 1550 0

Operator Signature

Printed on recycled paper with agri-based inks

CMSU 2208-02

, Face This Side Down – This Edge In First

BAC DataMasterEvidence Ticket

MISSOURI STATE HIGHWAY PATROL BAC DATAMASTER SERIAL NUMBER 204160 03/02/10

TESTING OFFICER;

MEADE/R/V
OFFICER 1.D.: 913
PERMIT MUMBER: 880322
EXFIRATION DATE: 12/15/10
MISCELLANEOUS DATA:
PHONTHLY MAIMI.
RFI

--- SUPERVISOR MODE ---

BLAPK TEST	. 006	21:45
INTERNAL STANDARD	VER1FIED	z1:45
EXTERNAL STAMOARD	.102	21:46
RADIO INTERFERENCE		, -

Operator Signature R, V. Mco. le

Printed on recycled paper with agri-based inks

CMSU 2208-02

State of Missouri DEPARTMENT OF HEALTH



PERMIT TYPE II



₽	\mathbf{v}	M	$\mathbb{R}.\mathbf{A}$	DE	ľ.
•		Y			•

is hereby authorized to instruct and supervise operators, train instructors, inspect, calibrate, perform field repairs, and operate the following breath analyzer(s):

DATAMASTER

for the determination of the alcoholic content of blood from a sample of expired (alveolar) air. Issued under the provisions of sections 577.020 through 577.041, RSMo 1986.

12/15/08	John J. Mathewson
820332	Director of State Dubile Health Laboratory
12/15/2010	la dia dia dia dia dia dia dia dia dia di
Expires	
	 Director, Department of Health
MO 580-0771 (7-88)	Lab. 4 (R7-88